



EXTENT MAP

- Legend:
- 10 % AEP Flood Extent
(1 in 10 chance in any given year)
 - 0.5 % AEP Flood Extent
(1 in 200 chance in any given year)
 - 0.1 % AEP Flood Extent
(1 in 1000 chance in any given year)
 - Defended area
 - High Confidence (<20m) (10% AEP)
 - Medium Confidence (<40m) (10% AEP)
 - Low Confidence (> 40m) (10% and 0.1% AEP)
 - High Confidence (<20m) (0.5% AEP)
 - Medium Confidence (<40m) (0.5% AEP)
 - Low Confidence (>40m) (0.5% AEP)
 - River Centreline
 - Node Point
 - Node Label (refer to table)

USER NOTE :
USERS OF THESE MAPS SHOULD REFER TO THE DETAILED DESCRIPTION OF THEIR DERIVATION, LIMITATIONS IN ACCURACY AND GUIDANCE AND CONDITIONS OF USE PROVIDED AT THE FRONT OF THIS BOUND VOLUME. IF THIS MAP DOES NOT FORM PART OF A BOUND VOLUME, IT SHOULD NOT BE USED FOR ANY PURPOSE.

Halcrow
www.halcrow.com

Halcrow Group Ireland
3A Eastgate Road
Eastgate
Little Island
Cork
Ireland

OPW

Office of Public Works
17-19 Lower Hatch Street
Dublin 2
Ireland

Project :
LEE CATCHMENT FLOOD RISK ASSESSMENT AND MANAGEMENT STUDY

Map :
CORK CITY

Map Type : FLOOD EXTENT
Source : TIDAL FLOODING
Map area : URBAN AREA
Scenario : MID RANGE FUTURE SCENARIO

Figure By : Valeria Medina Date : 10 March 2014
Checked By : Ricardo Santaella Date : 10 March 2014
Approved By : Clare Dewar Date : 10 March 2014

Figure No. : M9/UA/EXT/MRFS/005
Revision : 2

Drawing Scale : 1:5,000 Plot Scale : 1:1 @ A3

Fluvial flooding may also occur within the area shown on this map. Please refer to the fluvial flood extent map. Figure No. M8/UA/EXT/MRFS/012

Node Label	Water Level (mOD) per AEP		
	WL 10%	WL 0.5%	WL 0.1%
8LEE_922	3.21	3.57	3.76
8LEE_752	3.21	3.56	3.76
8LEE_571	3.20	3.56	3.76
8LEE_367	3.20	3.56	3.75
8LEE_190	3.20	3.55	3.75
8LEE_0	3.20	3.55	3.75

